



HAVELLS

**HEAVY DUTY
COOLER**

HEAVYWEIGHT CHAMPION OF COOLERS



AIR COOLER CATALOGUE 2025

ABOUT US

Redefining the modern homes with innovation and excellence

Havells is at the forefront of transforming modern living spaces by offering innovative solutions that elevate everyday experiences. With a deep understanding of consumer needs, the company has expanded its footprint across every aspect of home life, creating environment that are not only functional but also comfortable, stylish, and future-ready. To make these solutions accessible, Havells leverages an extensive distribution network encompassing 18,000 dealers, over 1,000 exclusive brand stores, intensifying presence in modern retail, e-commerce and quick commerce.

The company's portfolio includes power brands like Havells, Havells Crabtree, Lloyd, REO, Havells Studio, and Standard each designed to cater to the unique demands of today's consumers.

At the forefront of Havells product evolution lies its Customer Experience & Designs (CXD) Studio, where creativity and user-centric design converge. This is complemented by its Centre for Research & Innovation (CRI), supported by four advanced R&D centres, enabling Havells to consistently deliver products that are both functional and visually compelling.

Driven by a commitment to innovation, quality, and design, the company also upholds sustainable practices throughout its operations, including eco-friendly manufacturing processes and energy-efficient product design, contributing to a greener and more sustainable future.




CORPORATE OFFICE, NOIDA



State-of-the-Art Manufacturing Unit



Industry 4.0 Process



Customer Experience & Design



Center For Research & Innovation

16 Manufacturing Units

~18000 Strong Dealer Network

4 Research Centres

48 Offices

HEAVY DUTY COOLERS

At Havells, innovation is not just a buzzword. It's our promise. Our 2025 range of Heavy Duty Coolers is the result of pushing boundaries and defying expectations. Built for power, precision, and longevity, these coolers don't just keep you comfortable. They redefine what air cooling should be.

WHY HAVELLS COOLERS?



*Features & weight may vary from model to model.

PRESENTING HAVELLS CONVERTIBLE COOLER



80 L
TANK CAPACITY

5 LEAF
ALUMINIUM BLADE FAN

BACTERIA
HONEYCOMB PAD
TECHNOLOGY

COOLS
YOUR PLACE.

SAVES
YOUR SPACE.



Scan for Installation Video



Scan for Product Video

DESERT AIR COOLER

If you're looking to beat the heat in larger spaces, Havells Desert Coolers are your go-to. The versatile Havells Convertible-80 air cooler is designed for modern homes and adapts to your needs. With this cooler you can enjoy refreshing air in the summer, then convert it to a side table for easy storage and clutter-free winters.

IDEAL FOR



Living Room



Restaurant



Party Hall



Outdoors



Big Office




Gym



CONVERTIBLE 80

Convertible-80



- ◆ Bed Height Fan Position
- ◆ Auto Swing
- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Front Castors with brakes to avoid undesired mobility
- ◆ Inverter Compatibility
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord

2-in-1
Convertible



KOOLGRANDE INVERTO

Kool Grande 90 INVERTO




- Tank Capacity: 90 L
- 3 Side Honeycomb Pads
- Ice Chamber
- 3 Speed Setting
- Bed Height Fan Position
- Multi Directional Castors (Front Castors with Brakes)
- Thermal Overload Protection (Pump/Motor)
- Inverter Compatible

- ◆ Auto Swing
- ◆ 2 Knob Panel
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



ALTIMA INVERTO

AltiMA INVERTO



- Tank Capacity: 70 L
- 3 Side Honeycomb Pads
- Ice Chamber
- 3 Speed Setting
- Bed Height Fan Position
- Multi Directional Castors (Front Castors with Brakes)
- Thermal Overload Protection (Pump/Motor)
- Inverter Compatible

- ◆ Auto Swing
- ◆ 2 Knob Panel
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



KOOLGRANDE SERIES


Kool Grande 90 /
Kool Grande 70



Kool Grande-i 90



Kool Grande-5S 90




- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord
- Koolgrande-i 90**
- ◆ Electronic Panel
- ◆ Full Function remote
- ◆ Low Water Alarm
- ◆ Timer (1 h to 7 h)
- ◆ Night Mode display off function
- ◆ Dry run protection (pump)
- Koolgrande-5S 90**
- ◆ 5 Speed Settings (Turbo+, Turbo, High, Medium & Low)

ALTIMA SERIES

Altima-i



Altima



- ◆ Cord Winder at Rear
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord
- Altima-i**
- ◆ Electronic Panel
- ◆ Full Function remote
- ◆ Low Water Alarm
- ◆ Timer (1 h to 7 h)
- ◆ Night Mode display off function
- ◆ Dry run protection (pump)

KOOLAIRE SERIES



| | | | |
|--|-------------------------------|---|--------------------------------|
| Tank Capacity: 55 L / 80 L / 115 L | 3 Side Honeycomb Pads* | 5 Leaf Metal Blade | Bed Height Fan Position |
| Multi Directional Castors (Front Castors with Brakes) | Auto Swing | Thermal Overload Protection (Pump/Motor) | Inverter Compatible |

- ◆ Front Castors with brakes to provide stability
- ◆ Cord Winder at Rear
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord

SUPRO SERIES



| | | | |
|---|---|-----------------------------|----------------------------|
| Tank Capacity: 45 L / 55 L / 75 L | 3 Leaf Metal Blade | 3 Side Woodwool Pads | Low Noise |
| With Trolley (optional) | Thermal Overload Protection (Pump/Motor) | Wide Air Spread | Inverter Compatible |

- ◆ 2 Control Knobs
- ◆ 3 Speed Setting
- ◆ Auto Swing
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord

PERSONAL AIR COOLER

Havells Personal Air Coolers are designed for your comfort. Whether it's your bedroom or your workspace, these coolers fit right in, offering a steady breeze without the noise. They're efficient, sleek, and the perfect match for your space.

IDEAL FOR



Bedroom



Study Room



Small Office



Small Shop



Dining Area



VELO

VELO 45



| | | | |
|--------------------------------|--------------------------------------|---|----------------------------------|
| <p>Tank Capacity: 45 L</p> | <p>Aerodynamically Design Blades</p> | <p>3 Side Honeycomb Pads</p> | <p>Double Ball Bearing Motor</p> |
| <p>3 Speed Setting</p> | <p>Auto Swing</p> | <p>Thermal Overload Protection (Pump/Motor)</p> | <p>Inverter Compatible</p> |

- ◆ Multi Directional Castors (Front Castors with Brakes)
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord

TUONO

TUONO 25



- Tank Capacity: 25 L
- Dust Filter Net
- Honeycomb Pad
- Ice Chamber
- Multi-Direction Castors
- 3 Speed Setting
- Auto Swing
- Inverter Compatible

- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Water Level Indicator
- ◆ Auto Swing
- ◆ 3 Core 3 Pin Power Cord

KALT PRO

KALT-Pro 24



- Tank Capacity: 24 L
- Aerodynamically Design Blades
- 3 Side Honeycomb Pads
- Multi Directional Castors (Front Castors with Brakes)
- Auto Swing
- 3 Speed Setting
- Water Level Indicator
- Inverter Compatible

- ◆ Ergonomic 2 Knob Control Function
- ◆ Rust Free Body
- ◆ Low Noise Operation
- ◆ 3 Core 3 Pin Power Cord

SLIMO

Slim 24



- Tank Capacity: 24 L
- Honeycomb Pad
- 3 Speed Setting
- Auto Swing
- Double Ball Bearing Motor
- Multi Directional Castors (Front Castors with Brakes)
- Thermal Overload Protection (Pump/Motor)
- Inverter Compatible

- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



TOWER AIR COOLER

Our Tower Air Coolers deliver cool air with style. These slim, sleek coolers fit seamlessly into any room, providing powerful cooling with minimal floor space. With a variety of tank sizes, they're built to cover large areas while looking good doing it.

IDEAL FOR



Living Room



Bedroom



Kids Room



Study Room



Dining Area



ZURII SERIES



- ◆ Electronic Panel
- ◆ Full Function Remote
- ◆ Powerful Blower
- ◆ Cord Winding station at Rear
- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Timer
- ◆ Water Level Indicator
- ◆ Dry Run Protection (Pump)
- ◆ Auto Swing
- ◆ Inverter Compatible
- ◆ 3 Core 3 Pin Power Cord

ZURII-M SERIES

Zurii-M 60



Zurii-M 40



- Tank Capacity: 40 L / 60 L
- Auto Swing
- Completely Collapsible Louvers
- Dust Filter Nets
- Honeycomb Pad
- Thermal Overload Protection (Pump/Motor)
- Multi Directional Castors (Front Castors with Brakes)
- Inverter Compatible



- ◆ Powerful Blower
- ◆ Cord Winding station at Rear
- ◆ 3 Speed Settings
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



WINDOW AIR COOLER

Havells Window Air Coolers give you cool, fresh air without the hum. These coolers offer great air delivery with low noise, so you can enjoy a peaceful, cool environment. Perfect for those who want comfort and calm in one package.

IDEAL FOR



Kids Room



Living Room



Small Office




Bedroom



Study Room



BRINA SERIES



- ◆ Water Level Indicator
- ◆ Auto Swing
- ◆ 3 Core 3 Pin Power Cord

Brina-HC Plus & Brina Plus

- ◆ Humidity Control
- ◆ Dust Filter Net
- ◆ Auto Drain

*Breatheezee Technology is only available in Brina Plus and Brina-HC Plus
*Brina & Brina Plus - Wood Wool Pads
*Brina HC - Honeycomb Pads



FROSTIO

FROSTIO-50

FROSTIO-45



| | | | |
|-------------------------------|--|---|------------------------|
| Tank Capacity: 45 L / 50 L | Thermal Overload Protection (Pump/Motor) | Ice Chamber | 3 Speed Setting |
| 4 Way Swing | With Trolley (optional) | Multi Directional Castors (Front Castors with Brakes) | Inverter Compatible |

- ◆ Wood Wool Cooling Pads (with Mosquito Net)
- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



HIGH CAPACITY AIR COOLER

With powerful air delivery and energy-efficient design, our Commercial Air Coolers are made to handle large areas while keeping things cool all day long. No more stuffy rooms. Just pure, cooling comfort.

IDEAL FOR



Office



Hospital



Factory



Warehouse



Shopping Mall






AERO SERIES

AERO 200



AERO 150



Scan for Product Video

- ◆ XXL Ice Chamber
- ◆ Multi Directional Castors(Front Castors with Brakes)
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord

AERO DLX SERIES

AERO PRIME

AERO DLX 125

AERO DLX 100



| | | | |
|---|---------------------------------------|-------------------|------------------------------|
| <p>Large Tank Capacity: 100 L / 125 L</p> | <p>Aerodynamically Design Blades</p> | <p>Auto Fill</p> | <p>3 Side Honeycomb Pads</p> |
| <p>Double Ball Bearing Motor</p> | <p>Completely Collapsible Louvers</p> | <p>Auto Swing</p> | <p>Inverter Compatible</p> |

- ◆ Multi Directional Castors(Front Castors with Brakes)
- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Water Level Indicator
- ◆ Auto Swing
- ◆ 3 Core 3 Pin Power Cord



AERO Prime 100



| | | | |
|-----------------------------------|---------------------------------------|-------------------|------------------------------|
| <p>Large Tank Capacity: 100 L</p> | <p>Exhaust Fan</p> | <p>Auto Fill</p> | <p>3 Side Honeycomb Pads</p> |
| <p>Double Ball Bearing Motor</p> | <p>Completely Collapsible Louvers</p> | <p>Auto Swing</p> | <p>Inverter Compatible</p> |

- ◆ Multi Directional Castors (Front Castors with Brakes)
- ◆ Thermal Overload Protection (Pump/Motor)
- ◆ Auto Swing
- ◆ Water Level Indicator
- ◆ 3 Core 3 Pin Power Cord



| Feature Type | Feature | DESERT COOLERS | | | | | | | | | | | BLDC COOLERS | | | |
|--|--|---|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|--------------------------------------|--------------------------------------|----------------------------------|----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|--------------------------------------|
| | | Convertible 80 | Koolgrande-i 90 | Koolgrande 90/*-5S 90 | KoolGrande 70 | Altima-i | Altima | Koolaire 115 | Koolaire 80 | Koolaire 55 | Supro 75 | Supro 55 | Supro 45 | Celia 70 Inverto | KoolGrande 90 Inverto | Altima 70 Inverto |
| Technical | Tank Capacity (up to brim-L) | 80 L | 90 L | 90 L | 70 L | 70 L | 70 L | 115 L | 80 L | 55 L | 75 L | 55 L | 45 L | 70 L | 90 L | 70 L |
| | Rated Power (W) | 185 W | 185 W | 185 W | 185 W | 185 W | 185 W | 190 W | 190 W | 185 W | 160 W | 160 W | 160 W | 110 W | 140 W | 140 W |
| | Fan / Blower | 5 Leaf Aluminium Blades | 5 Leaf Plastic Blades | 5 Leaf Plastic Blades | 5 Leaf Plastic Blades | 5 Leaf Plastic Blades | 5 Leaf Plastic Blades | 5 Leaf Aluminium Blades | 5 Leaf Aluminium Blades | 5 Leaf Aluminium Blades | 3 Leaf Aluminium Blades | 3 Leaf Aluminium Blades | 3 Leaf Aluminium Blades | 4 Leaf Aluminium Blades | 5 Leaf Plastic Blades | 5 Leaf Plastic Blades |
| | Fan / Blower Size (mm) | 406.4 mm | 406.4 mm | 406.4 mm | 406.4 mm | 406.4 mm | 406.4 mm | 457 mm | 457 mm | 406.4 mm | 457 mm | 457 mm | 457 mm | 406.4 mm | 406.4 mm | 406.4 mm |
| | Fan / Blower motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | 100% Copper Winding Motor | 100% Copper Winding Motor | 100% Copper Winding Motor |
| Efficiency | Cooling Media | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Wood Wool (With Mosquito net) | 3 Side Wood Wool (With Mosquito net) | 3 Side Wood Wool (With Mosquito net) | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb |
| | Bacteria Shield (Honeycomb Pad Technology) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | Yes | Yes | Yes |
| | Speed Setting | 3 | 3 | 3 / * 5 Speed | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | Auto Swing | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | Ice Chamber | No | Yes | Yes | Yes | Yes | Yes | No | No | No | No | No | No | Yes | Yes | Yes |
| | Humidity Control | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| | Air Deflection | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way |
| | Control Panel | 2 Knob Panel | Electronic Panel | 2 Knob Panel | 2 Knob Panel | Electronic Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 3 Knob Panel | 2 Knob Panel | 2 Knob Panel |
| Convenience | Auto Drain | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| | Fully Collapsible Louvers | No | No | No | No | No | No | No | No | No | No | No | No | Yes | No | No |
| | Cord winding station at Rear | No | No | No | No | Yes | Yes | Yes | Yes | Yes | No | No | No | Yes | No | Yes |
| | Dust Filter Net | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| | Timer | No | Yes | No | No | Yes | No | No | No | No | No | No | No | No | No | No |
| | Low Water Alarm | No | Yes | No | No | Yes | No | No | No | No | No | No | No | No | No | No |
| | Auto Display Off Function (Remote) | No | Yes | No | No | Yes | No | No | No | No | No | No | No | No | No | No |
| | Water Level Indicator | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | Remote | No | Yes | No | No | Yes | No | No | No | No | No | No | No | No | No | No |
| | Combi Mode | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| | Ionizer | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| | Safety | Thermal Overload Protection (Pump/Motor) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Multi-directional -Caster Wheels with brakes | | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Dry Run Protection (Pump) | | No | Yes | No | No | Yes | No | No | No | No | No | No | No | No | No | No |
| Power Cord | | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin |
| Measurement | Product Size (cm) L x W x H | ** $(57.2 \times 49.3 \times 67.9)$ ** $(57.2 \times 49.3 \times 117.8)$ | $(62 \times 48.5 \times 125.5)$ cm | $(62 \times 48.5 \times 125.5)$ cm | $(62 \times 48.5 \times 117)$ cm | $(67 \times 47.5 \times 110.5)$ cm | $(67.0 \times 47.5 \times 110.5)$ cm | $(67.7 \times 45.0 \times 137.4)$ cm | $(70 \times 41.5 \times 118)$ cm | $(70 \times 41.5 \times 105)$ cm | $(67.5 \times 63.4 \times 86.2)$ cm | $(67.5 \times 63.4 \times 81.2)$ cm | $(67.5 \times 63.4 \times 77.7)$ cm | $(66 \times 51 \times 120)$ cm | $(62.0 \times 48.5 \times 125.5)$ cm | $(67.0 \times 47.5 \times 110.5)$ cm |
| | Product Size with Box (cm) L x W x H | $(65.7 \times 56.2 \times 73)$ cm | $(65.9 \times 53.1 \times 131.8)$ cm | $(65.9 \times 53.1 \times 131.8)$ cm | $(65.9 \times 53 \times 121.5)$ cm | $(73 \times 56.5 \times 116)$ cm | $(73 \times 56.5 \times 116)$ cm | $(73 \times 51 \times 143.8)$ cm | $(73 \times 51 \times 134.5)$ cm | $(75 \times 51.5 \times 112)$ cm | $(71.5 \times 67.8 \times 100.3)$ cm | $(71.5 \times 67.8 \times 85)$ cm | $(71.5 \times 67.8 \times 81.3)$ cm | $(73 \times 58.8 \times 121.8)$ cm | $(65.9 \times 53.1 \times 131.8)$ cm | $(73 \times 56.5 \times 116)$ cm |
| | Product Net Weight (kg) | 18 kg | 16 kg | 16 kg | 16 kg | 16 kg | 16 kg | 18 kg | 17 kg | 16 kg | 16 kg | 15.8 kg | 15.6 kg | 22 kg | 16.5 kg | 16 kg |

*Collapsed Condition & **Open Condition.

| PERSONAL COOLERS | | | | TOWER COOLERS | | WINDOW COOLERS | | | | COMMERCIAL COOLERS | | | | |
|--------------------------------------|---------------------------------|-----------------------------------|-------------------------------|--------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Velo 45 | Tuono 25 | Kalt Pro | Slimo 24 | Zurii 60 / *Zurii-M 60 | Zurii 40 / *Zurii-M 40 | Brina-HC Plus | Brina Plus | Brina | Frostio | Aero 200 | Aero 150 | Aero Prime 100 | Aero DLX 125 | Aero DLX 100 |
| 45 L | 25 L | 24 L | 24 L | 60 L | 40 L | 50 L | 50 L | 50 L | 50 L | 200 L | 150 L | 100 L | 125 L | 100 L |
| 110 W | 120 W | 90 W | 80 W | 180 W | 180 W | 200 W | 200 W | 200 W | 200 W | 450 W | 450 W | 400 W | 250 W | 250 W |
| Fan | Blower | Fan | Blower | Blower | Blower | Blower | Blower | Blower | Blower | 4 Leaf Aluminium Blades | 4 Leaf Aluminium Blades | 4 Leaf Metal Exhaust Blades | 3 Leaf Plastic Blades | 3 Leaf Plastic Blades |
| 294 mm | 203.2 mm | 177.8 mm | 121 mm | 203.2 mm | 203.2 mm | 203.2 mm | 203.2 mm | 203.2 mm | 203.2 mm | 558.8 mm | 558.8 mm | 457 mm | 508 mm | 508 mm |
| Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Aluminium Motor | Copper Motor | Aluminium Motor | Aluminium Motor |
| 3 Side Honeycomb | Honeycomb | 3 Side Honeycomb | Honeycomb | Honeycomb | Honeycomb | 3 Side Honeycomb | 3 Side Wood Wool (With Mosquito net) | 3 Side Wood Wool (With Mosquito net) | 3 Side Wood Wool (With Mosquito net) | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb | 3 Side Honeycomb |
| Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | Yes |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes |
| No | Yes | No | No | No | No | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| No | No | No | No | No | No | Yes | Yes | No | No | No | No | No | No | No |
| 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 4 Way | 1 Way | 1 Way | 4 Way | 4 Way | 4 Way |
| 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob | Electronic / * 2 Knob Panel | Electronic / * 2 Knob Panel | 3 Knob Panel | 3 Knob Panel | 3 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel | 2 Knob Panel |
| No | No | No | No | No | No | Yes | Yes | No | No | No | No | No | No | No |
| No | No | No | No | Yes | Yes | Yes | Yes | Yes | No | No | No | Yes | Yes | Yes |
| No | No | No | No | Yes | Yes | No | No | No | No | No | No | No | No | No |
| No | Yes | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes | No | No | No |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| Yes | Yes | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Yes | Castors w/o brakes | Yes | Yes | Yes | Yes | Castors w/o Brakes with Trolley | Castors w/o Brakes with Trolley | Castors w/o Brakes with Trolley | Castors w/o Brakes with Trolley | Yes | Yes | Yes | Yes | Yes |
| No | No | No | No | Yes / * No | Yes / * No | No | No | No | No | No | No | No | No | No |
| 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin | 3 Core 3 Pin |
| $(50.7 \times 42.3 \times 106)$ cm | $(42 \times 28 \times 83)$ cm | $(32.6 \times 30 \times 76.8)$ cm | $(29 \times 27 \times 87)$ cm | $(39.7 \times 39.4 \times 138.5)$ cm | $(39.7 \times 39.4 \times 116.5)$ cm | $(64.7 \times 56.5 \times 57)$ cm | $(64.7 \times 56.5 \times 57)$ cm | $(64.7 \times 56.5 \times 57)$ cm | $(65.5 \times 57 \times 59)$ cm | $(92.8 \times 62.1 \times 167)$ cm | $(92.8 \times 62.1 \times 151)$ cm | $(80 \times 59 \times 123)$ cm | $(80 \times 59 \times 133)$ cm | $(80 \times 59 \times 123)$ cm |
| $(58.2 \times 47.3 \times 106.2)$ cm | $(47.5 \times 34 \times 85)$ cm | $(34.5 \times 34.5 \times 81)$ cm | $(35 \times 35 \times 95)$ cm | $(48 \times 48 \times 145.5)$ cm | $(48 \times 48 \times 121)$ cm | $(73.5 \times 64 \times 61)$ cm | $(73.5 \times 64 \times 61)$ cm | $(73.5 \times 64 \times 61)$ cm | $(72 \times 60 \times 65)$ cm | $(97.5 \times 65 \times 166)$ cm | $(96.5 \times 64 \times 149.5)$ cm | $(87.5 \times 62 \times 127)$ cm | $(87.5 \times 62 \times 137)$ cm | $(87.5 \times 62 \times 127)$ cm |
| 9.0 kg | 7.2 kg | 7 kg | 5.9 kg | 17.5 kg | 16.5 kg | 14.3 kg | 14.3 kg | 14.1 kg | 12.5 kg | 39 kg | 37.2 kg | 24 kg | 26.5 kg | 24 kg |



Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.
Due to continuous technology upgradation the design & specifications may vary without notice.
The colour of the product mentioned may differ from the actual product colour due to printing limitations or may not be available.

Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000

E-mail: marketing@havells.com, Website: www.havells.com

Customer Care No.: 08045 77 1313

Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!

CIN - L31900DL1983PLC016304.

